产品外型和功能若有更新均以实样为准，恕不另行通知。
All specifications exterior and function shown in this catalogue are subject to change without prior notice.



MAKE YOUR WORK EASIER! 海盛玻璃机械，令你工作更轻松！ 海盛

HISENG 海盛

佛山市顺德区海盛玻璃机械有限公司

地址：佛山市顺德区大良凤翔工业区昌宏路 18 号
电话：0757-22899038 22899039
传真：0757-22899037
邮编：528300
邮箱：sales@hsglass.com.cn
网站：www.hsglass.com.cn

SHUNDE HISENG GLASS MACHINERY CO., LTD.

ADD: NO.18, Changhong Road, FengXiang Industrial Zone, DaLiang, Shunde , Foshan, GD, 528300 China
TEL: (+86)0757-22899038 22899039
FAX: (+86)0757-22899037
Zip code: 528300
Export Dept: (+86)0757-28099226
E-Mail: sales@hsglass.com.cn
Website: www.hsglass.com.cn

HISENG

HISENG海盛

海盛产品画册.indd 3-4 2016/12/1 保存! 17:10:25



海盛玻璃机械，
令你工作更轻松！

HISENG GLASS MACHINE,
MAKE YOUR WORK EASIER!

HISENG 海盛

MAKE YOUR WORK EASIER!

智能化
SMART



自动化
AUTOMATION

轻松操作
EASY TO OPERATE



高效稳定
EFFICIENT AND STABLE

海盛产品画册.indd 1-2 2016/12/1 保存！ 17:10:30

倾力打造
具有最高性价比的玻璃加工设备

Effort to produce high cost effective glass processing equipment

目录
Contents

文化理念 01
Corporate Culture Concept

企业简介 05
Company Profile

荣誉资质 06
Honor

企业优势 07
Corporate Advantage

产品特点 11
Product Features

生产线系列 13
Edger Lines

双边磨边机系列 19
Double Edger

单边机系列 23
Vertical Edger

清洗机系列 29
Washing Machine

其他系列 32
Others

13 全自动快速双边磨生产线
SZM Automatic Supper Speed Double Edger Line

HSD 玻璃直线双边磨边生产线
HSD Glass Straight Line Double Edger Line 15

19 HSD 玻璃直线双边磨边机
HSD Glass Straight Line Double Edging Machine

21 SYM 玻璃直线双边圆边机
SYM Glass Straight Line Double Round Edging Machine

玻璃直线磨边机
Glass Straight Line Edging Machine 23

海盛产品画册.indd 3-4 2016/12/1 保存! 17:10:35

做全球一流的
玻璃机械品牌
Be a global top glass machinery brand

我们是海盛，
10 年技术服务经验，
创新、专业的玻璃机械生产厂家，

位于中国制造业名镇佛山市顺德区，自诞生以来，专注于为客户打造灵活的生产方案。

从产品设计、原材料的购进，生产都严格按照 ISO 生产管理，凭着丰富生产经验，开发各种产业领域的专业产品：建筑 (Low E 玻璃)、家电、电子、太阳能玻璃，家具玻璃，艺术、装饰玻璃等产业领域。在行业中建立良好口碑，产品销售中国市场及海外市场，如：美国、墨西哥、巴西、阿根廷、俄罗斯、印度、土耳其、中东、澳洲、意大利、西班牙、瑞典等六十多个国家和地区。

致力提供性能稳定、质量过硬、性价比高的玻璃机械，为客户提供智能化，人性化的产品和服务而努力！
海盛玻璃机械，令你工作更轻松！

We are Hiseng,
10 years of technical service experience,
Innovation, professional glass machinery manufacturer,

Located in Shunde, Foshan City,
Since its burned, we are only focus on providing flexible production programs to costomers.

From product design, the purchase of raw materials, production are in strict accordance with ISO production management,
Rich experience in the production, development of various industries in the field of professional products:
Construction, LOW-E glass, home appliances, electronics, solar glass, furniture glass, art, decorative glass and other industrial fields.
In the industry to establish a good reputation, sales of Chinese products and export markets to the United States, Mexico, Brazil, Argentina, Russia, India, Turkey, the Middle East, Australia, Italy, Spain, Switzerland and other dozens of countries and regions.

Is committed to provide stable performance, excellent quality, cost-effective glass machinery,
To provide intelligent, user-friendly products and services to costomers!
Hiseng glass machinery, make your work easier!

一切只为玻璃加工用户
用得放心和省心
All just for glass processors
Running machine with confidence and free mind.

精益求新，创先时代，为全球领先的自动化生产
提供更先进的解决方案，引领玻璃加工潮流

Excellence, ahead times, for the world's leading automated glass production
to provide updated solutions, lead the trend of glass processing

海盛产品画册.indd 5-6
2016/12/1 保存！ 17:10:37



为玻璃加工用户做到

轻松简单高效操作
愉悦地工作

For glass processing users
Easy and efficient operation, pleasant work.

现代化生产基地

完整系统的生产流程，让品质无懈可击。

Modern production base

Complete system production for excellent quality.

采用先进生产设备

所有零部件采用先进设备加工，
保证产品质量。

Adopt with hi-tech machine

Parts process with advance equipment, make sure of quality.

资深工程师及
高创新力研发团队

拥有外观设计和功能设计工程师若干，确保产品外观新颖、性能卓越。

Senior engineers and high-tech R & D team

With a number of outlook design and functional design engineers, ensure fashion appearance and excellent operation function.

严谨的质量控制

生产上以质量优先，专业制造，并采用了行业最先进的检测设备。

Rigorous quality control

Quality on priority base, using most advance quality testing equipment to make sure professional manufacturing

在各种应用领域
都能与众不同

专注外贸出口，不论是何种行业或何种类型的应用，满足各种需求的方法。

In a variety of application areas can be different

Focus on exports, can meet all requirements, no matter what kind of industry or application.

海盛产品画册.indd 7-8 2016/12/1 保存! 17:10:41

一年超过 300台设备销往全球

让全球各地区用户轻松拥有
智能化、自动化、人性化设计的设备

产品销往美国、墨西哥、巴西、阿根廷、俄罗斯、印度、土耳其、中东、澳洲、意大利、西班牙、瑞典等几十个国家和地区。

Export to the United States, Mexico, Brazil, Argentina, Russia, India, Turkey, the Middle East, Australia, Italy, Spain, Switzerland and other dozens of countries and regions.



We export more than 300 machines per year

Let the users around the world Easy to enjoy smart, automated and user-friendly design glass machinery.

因为懂你！
海盛用心把细致做到极致。

Cause we understand you!
We make details up to outstanding!



傻瓜式操作，高效能，低人工成本。

全智能化、自动化操作，
个性化的设计，
自由磨边，清洗。

Simple operation, High production with less labor cost.

Full smart, automatic operation, personalized settings, be free grinding and washing.

磨边过程中玻璃表面无水，保护玻璃表面。

不刮花玻璃表面，特别是镀膜玻璃，
让后续清洗更轻松，工人操作环境更整洁。

Water free on glass surface during grinding, well protect any kind of surface.

No scratching on glass, specially different coated glass, such as Low e glass, make cleaning easier, better working environment.

磨边速度每分钟 8 米，厚板大板玻璃一次完成。

机器迅速，自动调整玻璃加工尺寸，
保证生产过程的可靠性和生产效益的提高。

Grinding speed: 8m/min, big size glass and thick glass can be finished in one time.

Quickly and automatically adjust glass size, to ensure reliable production and improve production efficiency.

多种灵活应对方案，满足独特需求。

每个需求都是唯一的，
海盛玻璃机械是为各个需求而量身订造，
为全球领先的自动化生产，提供解决方案。

A variety of flexible solutions, meet your unique needs.

Each requirement is unique, Hiseng machine is tailored for various needs. For the world's leading automated production, we are ready to provide solutions.

实时提供高效的一站式服务。

客户培训 / 全天快速响应
全程跟踪服务 / 专业包装 专业运输
保养 / 维护

Real-time providing efficient one-stop service

User training / All day fast response
Complete tracking service / Professional packaging , transport / Maintenance support

海盛产品画册.indd 11-12 2016/12/1 保存! 17:10:52

全自动快速双边磨生产线
SZM Automatic Supper Speed Double Edger Line

门窗玻璃，LOW E 玻璃全自动磨边生产线。
Suitable for window glass, insulating glass grinding, LOW E glass grinding.



设备包括：

- ☑ 自动检测台
- ☑ 快速双边磨
- ☑ 自动转换台
- ☑ 快速双边磨

Composition:

- ☑ Automatic Checking Table
- ☑ Double Edger No.1
- ☑ One Transferring Table
- ☑ Double Edger No.2

磨轮分布图
Placement Of Wheels



何谓全自动?

自动检测玻璃尺寸；磨边线自动调整尺寸；
自动与 EPR 系统对接，可以与切割线自动对接，自动检测玻璃是否操作失误。
SZM A 机型可以做到自动进给磨轮，磨轮用完提醒功能等更智能操作。

How Is Fully Automatic?

Automatic detecting glass length, width and thickness in one time.
Double edger automatic adjust size according to glass size.
Automatic connected to ERP system, or connected to cutting line, detecting table can detect any miss operation by worker.
Optional: SZMA serials machine can automatic adjust wheels position according to finished of wheels, and will give alarm if wheels are finished.

何谓快速?

检测玻璃速度：40 米 / 分钟
磨边最快达到速度：15 米 / 分钟
宽度调整速度：20 米 / 分钟
转换台传输速度：50 米 / 分钟

How Is Super Speed?

Glass detecting size speed is 40m/min
Max grinding speed is 15m/min
Width adjustment speed is 20m/min
Transferring table transmission speed is 50m/min

技术参数 Specification

		JCT-2525 玻璃自动检测台 Glass Automatic Checking Table	SZM-1025 玻璃高速双边磨边机 Glass Supper Speed Double Edging Machine	LST-2525 玻璃 L 型转角台 Glass L Type Transfering Table
加工玻璃厚度	Thickness of glass	3-12mm	3-12mm	3-25mm
加工尺寸范围	Processing size	-	300mm-2500mm	-
加工玻璃最小尺寸	Minimum size of glass	350x350mm	-	400x400mm
加工玻璃最大尺寸	Max size of glass	2500x2500mm	-	2500x2500mm
玻璃传送速度	Transmission speed	0.5m—40m/min	1m-15m/min	0.5m-50m/min
平行误差	Glass Parallel Tolerance	-	≤ 0.2mm/m	-
对角线误差	Glass Diagonal Tolerance	-	≤ 0.5mm/m	-
倒角宽度误差	Chamfer Tolerance	-	≤ 0.2mm/m	-
倒角宽度尺寸	Chamfer width	-	1-3mm	-
底边最大磨削量	Max Grinding on flat edge	-	5mm	-
气压工作压力	Air required	-	0.4Mpa-0.8Mpa	-
总功率	Total Power	3kW	30kW	3.5kW
重量	Weight	2600Kg	4500Kg	2100Kg
尺寸	Dimensions	5800x3100x1300mm	3800x5000x200mm	5800x3100x1300mm
工作高度	Work Height	900 ±20mm	900 ±20mm	900 ±20mm

海盛产品画册.indd 13-14 2016/12/1 保存! 17:10:53

HSD 玻璃直线双边磨边生产线

HSD Glass Straight Line Double Edger Line

智能：1 号机主电脑控制整线，2 号机可以单独控制。
Smart: No.1 machine have master computer control whole line, No.2 machine can control separately.





高速：

玻璃传送速度：0.5 米 - 8 米 / 分钟
宽度调整速度：2 米 / 分钟 伺服 8 米 / 分钟
转换台传送速度：0.5 - 30 米 / 分钟

High Speed:

Glass transmission speed: 0.5m - 8m/min
Width adjustment speed: 2m/min, servo motor control: 8m/min
Transferring table transmission speed: 0.5 - 30m/min

海盛产品画册.indd 15-16 2016/12/1 保存！ 17:10:56

常用双磨边生产线布置图
Double Edger Line Layout

L 型 / 直线型 /U 型布置图 L type / I type / U type Layout



直线型手动生产线
I Type Manual Transfer Line



直线型全自动生产线
I Type Automatic Transfer Line

我们可根据您的厂房空间、生产规模、产品种类，提供专业合理的冷加工生产线布局。
玻璃随着加工步骤在车间里流转，达到提高生产效率、减少玻璃破损率的目的。

According to your factory space, production volume requirement, glass size, we can offer professional and special design production lines for you.
Glass is delivered within workshop according to production procedure, increased your production efficient, and reduced the breakage of glass.



L 型自动生产线 (带清洗)
L Type Automatic Transfer Line
(with washer)



U 型全自动生产线 (带清洗)
U Type Automatic Transfer Line
(with washer)



L 型手动生产线
L Type Manual Transfer Line

海盛产品画册.indd 17-18
2016/12/1 保存! 17:10:58

HSD 玻璃直线双边磨边机

HSD Glass Straight Line Double Edging Machine

建筑玻璃，浴室玻璃，家居玻璃等精抛要求首选。
Suitable for fine polishing on architecture glass, shower room glass, furiture glass and etc.

磨轮分布图
Placement Of Wheels

HSD-20



HSD-22



HSD-26



安全倒角 AQ (选项)
Corner Dubbing (Optional)



刻线 KX (选购)
Nebula Joint (Optional)



除膜 CM (选购件)
Film deletion (Optional)

技术参数 Specification

加工玻璃厚度	Thickness of glass	3-25mm
加工尺寸范围	Processing size	HSD 2010 250mm—1000mm　HSD 2035 300mm—3500mm　HSD 2050 400mm—5000mm HSD 2025 300mm—2500mm　HSD 2042 300mm—4200mm　HSD 2060 400mm—6000mm
玻璃传送速度	Transmission speed	0.5m—8m/min
平行误差	Glass Parallel Tolerance	≤ 0.2mm/m
对角线误差	Glass Diagonal Tolerance	≤ 0.5mm/m
倒角宽度误差	Chamfer Tolerance	≤ 0.2mm/m
倒角宽度尺寸	Chamfer width	1-3mm
底边最大磨削量	Max Grinding on flat edge	5mm
气压工作压力	Air required	0.6Mpa-0.8Mpa
工作高度	Work Height	900±20mm
总功率	Total Power	HSD 20: 51 kW　HSD 22: 56 kW　HSD 26: 65 kW

海盛产品画册.indd 19-20　2016/12/1 保存! 17:11:02

SYM 玻璃直线双边圆边机

SYM Glass Straight Line Double Round Edging Machine

适用于加工太阳能，家具，家电，汽车等产业玻璃，生产效能高。
The line is widely used for big production volume requirement, such as solar glass, furniture glass, electrical appliance glass, automotive glass and etc..

设备包括：

- ☑ 两台磨边机
- ☑ 转换台

Composition:

- ☑ Two Double Edging Machine
- ☑ One Transferring Table

磨轮分布图
Placement Of Wheels

SYM-04

SYM-08

SYM-12





节省场地，
四条边一次磨削成型，
自动化程度高。

The structure is simple and stable, and space saving as well.



技术参数 Specification

加工玻璃厚度	Thickness of glass	3mm-19mm
玻璃传送速度	Msx.grinding volunme	0.5-8m/min
平行误差	Glass Diagonal Tolerance	≤ 0.2mm
对角线误差	Diagonal error	≤ 0.5mm
最大磨削量	Msx.grinding volunme	2mm (单边 Single side)
安全角宽度	Dubbing width	0-4mm
工作气压	Compressed air input	0.4Mpa-0.8Mpa
工作高度	Work Height	900±20mm

双边圆边生产线
Double Round EdgingLine

海盛产品画册.indd 21-22 2016/12/1 保存! 17:11:04

玻璃直线磨边机

Glass Straight Line Edging Machine

尤其适合厚板，大板玻璃磨边需求，粗磨、精磨、抛光一次性完成。
Special suitabie for thick glass jumbo size glass grinding,grinding and polishing finish in one time.



HSE-11S

气动抛光（选项）
Pnumatic polishing (Optional)



HSE-9243S

升降结构（选项）
Lifting device (Optional)

加大铝材支架（选项）
Alum. big frame (Optional)

HSE-9441S

磨轮分布图
Placement Of Wheels



技术参数 Specification

		HSE-11S 玻璃直线磨边机 (11 磨头) Glass Straight Line Edging Machine (11 Motors)	HSE-9243S 玻璃直线磨边机 (9 磨头) Glass Straight Line Edging Machine (9 Motors)	HSE-9441S 玻璃直线磨边机 (9 磨头) Glass Straight Line Edging Machine (9 Motors)
速度	Transmission speed	0.5-5m/min	0.5-5m/min	0.5-5m/min
玻璃厚度	Thickness of glass	3-25mm	3-25mm	3-25mm
加工玻璃最小尺寸	Minimum size of glass	60x60mm	60x60mm	60x60mm
加工玻璃最大尺寸	Max size of glass	1830x2440mm	1830x2440mm	1830x2440mm
总功率	Total Power	27kW	19.5kW	19.5kW
重量	Weight	3800Kg	3000kgs	3000kgs
尺寸 mm(LxWxH)	Dimensions	7600x1700x2200	6500x1500x2200	6500x1500x2200

海盛产品画册.indd 23-24 2016/12/1 保存! 17:11:06

HSE 玻璃直线磨边机

HSE Glass Straight Line Edging Machine

适合普通玻璃的各种直边粗磨、精磨需求。
Suitable for float glass crude grinding and fine polishing requirement.

磨轮分布图
Placement Of Wheels

HSE-9243

HSE-211

HSE-9243

Optional: Lifting device, motorized thickness control, pnumatic polishing system.

技术参数 Specification

		HSE-9243 玻璃直线磨边机 (9 磨头) Glass Straight Line Edging Machine (9 Motors)	HSE-211 玻璃直线磨边机 (4 磨头) Glass Straight Line Edging Machine (4 Motors)
速度	Transmission speed	0.5-5m/min	0.5-5m/min
玻璃厚度	Thickness of glass	3-19mm	3-19mm
加工玻璃最小尺寸	Minimum size of glass	100x100mm	100x100mm
加工玻璃最大尺寸	Max size of glass	1830x2440mm	1830x2440mm
总功率	Total Power	19kW	7.5kW
重量	Weight	2700kgs	1500kgs
尺寸 mm(LxWxH)	Dimensions	6500x1500x2200	5000x1500x2200



HSE 玻璃直线多级边磨边机

HSE Glass Straight Line Multi Edging Machine (Mitering)

适合 0-45 度多级边磨边需求
Suitable for 0-45 degree miterring requirement.



HSE 9540S

磨轮分布图
Placement Of Wheels

HSE-9540S

HSE-9540SA



HSE 9540SA

技术参数 Specification

		HSE-9540S 玻璃直线多级边磨边机 (9 磨头) Glass Straight Line Multi Edging Machine (9 Motors)	HSE-9540SA 玻璃直线多级边磨边机 (9 磨头) Glass Straight Line Multi Edging Machine (9 Motors)
速度	Transmission speed	0.5-5m/min	0.5-5m/min
玻璃厚度	Thickness of glass	5-19mm	5-19mm
加工玻璃最小尺寸	Minimum size of glass	150x150mm	150x150mm
加工玻璃最大尺寸	Max size of glass	1830x2440mm	1830x2440mm
总功率	Total Power	22.5kW	22.5kW
重量	Weight	3800kgs	3200kgs
多级边角度	Mitering Angle	45° - 90°	45° - 90°
尺寸 mm(LxWxH)	Dimensions	7700x1700x2200	7700x1700x2200

Optional: Pnumatic polishing, lifting device, normal pad system.

海盛产品画册.indd 25-26 2016/12/1 保存! 17:11:08

HSB 玻璃直线斜边磨边机

HSB Glass Straight Line Beveling Machine

适合镜子，浮法玻璃的斜边精磨。
Suitable for mirror, glass fine polishing bevelling.



HSB-371

磨轮分布图
Placement Of Wheels

HSB-371

HSB-261I



HSB-261I

技术参数 Specification

		HSB-371 玻璃直线斜边磨边机（11 磨头） Glass Straight Line Beveling Machine (11 Motors)	HSB-261I 玻璃直线斜边磨边机（10 磨头） Glass Straight Line Beveling Machine (10 Motors)
速度	Transmission speed	0.4-4m/min	0.4-4m/min
玻璃厚度	Thickness of glass	3-19mm	3-19mm
加工玻璃最小尺寸	Minimum size of glass	100x100mm	100x100mm
加工玻璃最大尺寸	Max size of glass	1830x2440mm	1830x2440mm
斜边角度	bevel angle	3° -18°	3° -18°
最大斜边尺寸	Max.bevel width	40mm	35mm
总功率	Total Power	26kW	21.5kW
重量	Weight	4000kgs	3600kgs
尺寸 mm(LxWxH)	Dimensions	8500x1500x2300	7500x1500x2300

HSR 玻璃直线圆边磨边机

HSR Glass Straight Line Round Edging Machine

一机多用，可以用来磨圆边、直边、平边、鸭嘴边等等。
Multi functional machine, can use as pencil edge, flat with arrise edge, flat edge, OG, double OG grinding...

HSR-242

磨轮分布图
Placement Of Wheels

HSR-242

HSR-121



HSR-121

技术参数 Specification

		HSR-242 玻璃直线圆边磨边机（8 磨头） Glass Straight Line Round Edging Machine (8 Motors)	HSR-121 玻璃直线圆边磨边机（4 磨头） Glass Straight Line Round Edging Machine (4 Motors)
速度	Transmission speed	0.5-5m/min	0.5-5m/min
玻璃厚度	Thickness of glass	3-19mm	3-19mm
加工玻璃最小尺寸	Minimum size of glass	100x100mm	100x100mm
加工玻璃最大尺寸	Max size of glass	1830x2440mm	-
总功率	Total Power	19.5kW	11.5kW
重量	Weight	2700kgs	1700kgs
尺寸 mm(LxWxH)	Dimensions	6600x1500x2200	5500x1500x2200

海盛产品画册.indd 27-28 2016/12/1 保存！ 17:11:09

HSW 玻璃清洗机

HSW Glass Washing Machine

各种镀膜玻璃清洗，尤其适合软、硬 Low E 玻璃。
Suitable for different kinds of coated glass washing, special for soft / hard Low E glass.

HSW-A2500

清洗模式：
三组毛刷，两组风刀，速度可达 8 米 / 分钟。

Wash Mode:
Machine have three pairs brushes and two pairs air cuts. Speed can go for 8m/min.

HSW-C2000

清洗模式：
三组毛刷，四组风刀，速度 15 米 / 分钟。
选项：软 LOW E 系统，热水清洗，热风烘干。

Wash Mode:
Machine have three pairs brushes and three pairs air cuts. Glass thickness automatic digital setting and control, Speed 15m/min.
Option: Soft low e system; Water heating system; Hot air drier.

HSW-A / HSW-C
玻璃清洗机
Glass Washing Machine

		HSW-A2000	HSW-A2500	HSW-A3000	HSW-C2000
速度	Transmission speed	0.5-8m/min	0.5-8m/min	0.5-8m/min	1-15m/min
玻璃厚度	Thickness of glass	3-30mm	3-30mm	3-30mm	2-25mm
加工玻璃最小尺寸	Minimum size of glass	300x300mm	300x300mm	400x400mm	300X300mm
加工玻璃最大尺寸	Max size of glass	2000mm	2500mm	3000mm	2000mm
总功率	Total Power	35.1kW	35.1kW	38.6kW	53.5kW
重量	Weight	3500kgs	4500kgs	5500kgs	4000Kg
工作高度	Work Height	900 ±20mm	900 ±20mm	900 ±20mm	900 ±20mm
尺寸 mm(LxWxH)	Dimensions	7250x3770x3300	7250x4270x3300	7250x4770x3300	8550x3770x3300

HSW-S1600

清洗模式：
三组毛刷 + 二组风刀

Wash Mode:
Machine have three pairs brushes and three pairs air cuts.

HSWS
玻璃清洗机（带风刀型）
Glass Washing Machine (Air Knives)

		HSW-S1200	HSW-S1600	HSW-S1800
速度	Transmission speed	0.7-3.5m/min	0.7-3.5m/min	0.7-3.5m/min
玻璃厚度	Thickness of glass	3-19mm	3-19mm	3-19mm
加工玻璃最小尺寸	Minimum size of glass	300x300mm	300x300mm	300x300mm
加工玻璃最大尺寸	Max size of glass	1200mm	1600mm	1800mm
总功率	Total Power	9kW	13kW	17kW
重量	Weight	1100kgs	1200kgs	1300kgs
尺寸 mm(LxWxH)	Dimensions	4000x1800x2700	4000x2400x2700	4000x2600x2700

HSW-1200

清洗模式：
三组毛刷 + 三组海绵棒 + 热风烘干

Wash Mode:
Machine have three pairs brushes, three pairs sponge roller, hot air dryer.

HSW
玻璃清洗机
Glass Washing Machine

		HSW-1200	HSW-1600	HSW-1800
速度	Transmission speed	0.7-3.5m/min	0.7-3.5m/min	0.7-3.5m/min
玻璃厚度	Thickness of glass	3-19mm	3-19mm	3-19mm
加工玻璃最小尺寸	Minimum size of glass	180x180mm	250x250mm	250x250mm
加工玻璃最大尺寸	Max size of glass	1200mm	1600mm	1800mm
总功率	Total Power	9kW	11kW	15kW
重量	Weight	900kgs	1000kgs	1100kgs
尺寸 mm(LxWxH)	Dimensions	3800x1700x1020	3860x1950x1020	4000x2150x1020

海盛产品画册.indd 29-30 2016/12/1 保存！ 17:11:11

HSWV 立式清洗机

Vertical Glass Washing Machine

清洗模式：三组毛刷 + 二组风刀
Machine have 3 pairs brushes and 2 pairs air cuts.

HSW-V2500

技术参数 Specification

		HSW-V2000 立式玻璃清洗机 Vertical Glass Washing Machine	HSW-V2500/2600 立式玻璃清洗机 Vertical Glass Washing Machine
速度	Transmission speed	0.5-5m/min	0.5-5m/min
玻璃厚度	Thickness of glass	3-19mm	3-19mm
加工玻璃最小尺寸	Minimum size of glass	650x650mm	650x650mm
加工玻璃最大尺寸	Max size of glass	2000mm	2500/2600mm
总功率	Total Power	25kW	28kW
重量	Weight	2000kgs	2900kgs
尺寸 mm(LxWxH)	Dimensions	6650x3420x2300	7250x3920x2300

HSP 玻璃喷砂机

Glass Automatic Sand Blasting Machine

机器自带 3 支自动喷枪，1 只手动喷枪，除尘袋。客户需自购空气压缩机。
Machine have 3 automatic guns, 1 manual gun and dust removal bag.
Customer need to prepare air compressor and air tank.

HSP 1800

技术参数 Specification

		HSP-1800 玻璃喷砂机 Glass Automatic Sand Blasting Machine	HSP-2500 玻璃喷砂机 Glass Automatic Sand Blasting Machine
速度	Transmission speed	25 ㎡ /h	25 ㎡ /h
加工玻璃最小尺寸	Minimum size of glass	300x500mm	300x500mm
加工玻璃最大尺寸	Max size of glass	1800x2500mm	2500x2500mm
总功率	Total Power	5kW	5kW
工作压力	Suitable working pressure	0.6Mpa-0.8Mpa	0.6Mpa-0.8Mpa
空气压缩机功率	Suitable Air pressure prower	3.6m³/min、22kw	3.6m³/min、22kw
尺寸 mm(LxWxH)	Dimensions	6050x2000x2800	7200x2000x3500
重量	Weight	1600kgs	1800kgs

海盛产品画册.indd 31-32 2016/12/1 保存！ 17:11:12

HSO 02 玻璃钻孔机
Glass Drilling Machine

激光与铝材双定位，方便操作。
Positionning with aluminum bar and laser lights, easy for operation.



技术参数 Specification

加工直径	Processing diameter	3-100mm
玻璃厚度	Thickness of glass	3-19mm
加工玻璃最大尺寸	Max size of glass	2000x2000mm
总功率	Total Power	2.3kW
重量	Weight	1000kgs
尺寸 mm(LxWxH)	Dimensions	2500x2000x2200

HSS 151 玻璃异形磨边机
Glass Special Shape Grinding Machine

一机多用，可以用来磨圆边、直边、平边、鸭嘴边等等。
Multi functional machine, can use pencil edge, flat with arrise, falt edge, OG, Double OG grinding...

磨轮分布图
Placement Of Wheels

Optional: Satellite

Optional: Inner and outter grinding

技术参数 Specification

加工直径	Processing diameter	150-2100mm
玻璃厚度	Thickness of glass	3-19mm
加工玻璃最大尺寸	Max size of glass	0° -15°
总功率	Total Power	5kW
重量	Weight	850kgs
尺寸 mm(LxWxH)	Dimensions	2500x2500x1800

图标注释 Description

- 金刚轮 Diamond wheel
- Bk 轮 Bk wheel
- BD 轮 BD wheel
- 树脂轮 Resin wheel
- 抛光轮 Polishing wheel

海盛产品画册.indd 33-34 2016/12/1 保存！ 17:11:13